



THE ORIGINAL

Mr. Heater®

NORTH AMERICA'S MOST POPULAR
BRAND OF PORTABLE HEATERS AND ACCESSORIES

Buddy



Pages 6-9

FORCED AIR/ CORDLESS



Pages 12-19

INNOVATION



Pages 14-15

GARAGE HEATERS



Pages 20-23

ACCESSORIES



Pages 25-42

2012 MASTER CATALOG



SINCE 1955

Enerco, based in Cleveland Ohio, has been at the forefront of infrared combustion technology since 1955. This market leading technology has allowed Enerco to build expertise in consumer heating products as well as heavy duty commercial and construction heating products. Starting in 1984, Enerco's Mr. Heater Brand has delivered innovative technology and unmatched quality and service as America's Most Popular Brand Of Heaters. From its Original Tank Tops to its patented Buddy Heaters, millions of consumers have enjoyed high quality comfortable heat. Mr. Heaters Contractor Series Forced Air Propane and Kerosene Heaters have become the industry standard for dependability while its unit heaters have expanded the garage to usable workspace in the winter months. 2011 marked the launch of HERO-The World's First Cordless Forced Air Propane Heaters featuring Quiet Burner Technology®. Through innovative products, innovative marketing, and world class customer service, Mr. Heater is leading the way in portable heat!



THE MR. HEATER ADVANTAGE

- HISTORY - Market leader since 1955
- BRAND - The industries most recognizable brand
- INNOVATIVE MARKETING - Driving awareness through TV, Print, and Online
- MANUFACTURING - Proprietary factory in China, Manufacturing facility in Cleveland, OH
- DISTRIBUTION - 2 Major US distribution facilities
- QUALITY - World class quality teams in all manufacturing facilities
- SERVICE CENTERS - Over 490+ service center throughout US and Canada
- ENGINEERING - 24hr engineering and new product development capability
- INNOVATIVE PRODUCTS - The industry leader in portable heating innovation
- CUSTOMER CARE - World class service is our mission

BASECAMP

BASECAMP Drawing on its reputation for innovation and quality, Enerco is proud to introduce a complete line of camping products delivered under the BaseCamp brand. The most rugged outdoor environments exist at basecamps around the world as climbers prepare for a push to the mountain's peak. These basecamps are set up on the very edge of existence where adventurers rely on their gear to get them through these extreme, treacherous conditions. Enerco's BaseCamp brand draws on the very essence of this experience. Every day, a little closer to sea level, outdoors enthusiasts demand performance and reliability from their gear... not so much for their existence... but for comfort and value for themselves and their family. Our new BaseCamp brand delivers innovative technology and lasting quality in all areas of the camping experience. From LED lanterns to tents, stoves, showers, and furniture, the BaseCamp brand provides Adventure. Comfort. Innovation. See our 2012 Basecamp catalog for more details.




Table of Contents

Page 4-5



Page 11



Page 14-15



Page 20-21



Page 24

IMAGE LIBRARY

High res and low res product images are available for download from our online image gallery. Call 800.251.0001 for login information.



U.S. icon located on the lower right of each product image indicates domestic availability from our Cleveland OH distribution center.



Globe icon represents availability on a direct ship basis from China.

<u>Mr. Heater "Original" Tank Top Heaters</u>	<u>4-5</u>
<u>Mr. Heater Buddy® Portable Heaters</u>	<u>6-8</u>
<u>Mr. Heater Buddy® Warming Tray/Carry Bags</u>	<u>8-9</u>
<u>Mr. Heater Vent-Free Heaters</u>	<u>10-11</u>
<u>Mr. Heater Cabinet Heater</u>	<u>11</u>
<u>Mr. Heater HERO® Heaters</u>	<u>12-15</u>
<u>Mr. Heater Contractor Series® Forced Air Propane Heaters</u>	<u>16-17</u>
<u>Mr. Heater Contractor Series® Forced Air Kerosene Heaters</u>	<u>18-19</u>
<u>Mr. Heater Unit Heaters</u>	<u>20-21</u>
<u>Mr. Heater Unit Heater Accessories</u>	<u>21</u>
<u>Mr. Heater Garage/Shop Radiant Heaters</u>	<u>22-23</u>
<u>Mr. Heater Contractor Series Convection/Portable Heaters</u>	<u>23</u>
<u>Mr. Heater Hand Held Torch</u>	<u>24</u>
<u>Mr. Heater Electric Infrared Heater</u>	<u>24</u>
<u>Hose Assemblies</u>	<u>26-28</u>
<u>Brass Propane Fittings and Accessories</u>	<u>29-31</u>
<u>Gas Mate™ Gas Quick Connector Kits</u>	<u>32</u>
<u>Propane Accessories</u>	<u>33</u>
<u>Propane Regulators</u>	<u>34</u>
<u>Accessory Kits</u>	<u>35</u>
<u>Tank Top Replacement Parts</u>	<u>36</u>
<u>Mr. Heater FAK Replacement Parts</u>	<u>37-38</u>
<u>Mr. Heater Buddy® and Vent-Free Replacement Parts</u>	<u>39</u>
<u>BaseCamp Gaslight Replacement Parts</u>	<u>40</u>
<u>Other Manufacturers Replacement Parts</u>	<u>41-42</u>
<u>Plan-O-Grams</u>	<u>43</u>
<u>Hoses, Fittings and Accessories Index</u>	<u>44</u>

THE ORIGINAL TANK TOP

Tank Tops are a great source for economical heat. From sporting events to ice fishing, from construction sites to camp sites... Mr. Heater Tank Tops have been the #1 choice for decades. Put your trust in "The Original" high quality Mr. Heater Tank Top Heaters.

MR. HEATER TANK TOP HEATERS FEATURE:

- No electricity required • Variable controlled heat
- Convenient - Portable, easy to light • Fast - Heat when you want it
- Economical - Costs pennies per hour to operate
- All Necessary Fittings Included • Automatic Safety Shut-Off
- Made of durable materials & quality construction

MH15 Heater - 8,000-15,000 BTU/Hr.

F242200

- Hi-med-low regulator • Safety shut-off
- Use with 1 lb. cylinder • Lightweight
- Polished chrome reflector
- Base included

Portability
 Runs on 1# propane tank



Typical Uses: • Hunting • Fishing • Camping

MH15C Heater/Cooker - 8,000-15,000 BTU/Hr.

F242300

- Hi-med-low regulator
- Safety shut-off
- Polished chrome reflector
- Use with disposable cylinders or 20 lb. refillable tanks



Cooker



Heater



**2 products in 1:
 Infrared Heater/Infrared Cooker**

Typical Uses: • Hunting • Fishing • Camping

Tank Top Heaters

MR. HEATER "ORIGINAL" TANK TOP HEATERS FOR OUTDOOR USE

MH15T Heater - 8,000-15,000 BTU/Hr.

F242100

- Hi-med-low regulator • Tip-over safety shut-off
- Soft Nose P.O.L. • Polished chrome reflector
- Direct connection to 5-20lb. bulk cylinder
- CSA Certified

MH15TS Heater

F242105

MH15T with electronic spark ignition

Typical Uses: • Construction Sites • Loading Docks • Sporting Events • Camping/Fishing



MH30T Heater - 8,000-30,000 BTU/Hr.

F242650

- Hi-med-low regulator • Two tip-over safety shut-offs
- Soft Nose P.O.L. • Mounts on 20lb. propane cylinder
- Operate one or two burners at a time
- Polished chrome reflector
- CSA Certified

MH30TS Heater

F242655

MH30T with electronic spark ignition

Typical Uses: • Construction Sites • Loading Docks • Sporting Events • Camping/Fishing



MH45T Heater - 8,000-45,000 BTU/Hr.

F242900

- Hi-med-low regulator • Three safety shut-offs
- Mounts on 20-100lb. propane cylinder
- Operate one, two or three burners at a time
- Soft Nose P.O.L.
- Polished chrome reflector

Typical Uses: • Construction Sites • Loading Docks • Sporting Events • Camping/Fishing



HIGH OUTPUT!
The only 3 burner
Tank Top available



Drawing on decades of experience as a market leader and innovator, Mr. Heater's indoor safe propane Buddy Heaters have become America's Most Popular Portable Heaters. For years, patented Buddy Heaters have done battle against the gripping cold of winter in the hunting blind, deer stand, and even on the cold, open ice where mother nature is at her worst. Buddy Heaters have delivered life saving heat during power outages and natural disasters as well as spot heat in garages, barns, cabins, and workshops across the country. For times when you don't want winter to get in the way—Get a Buddy!!

Four position control with built-in Peizo igniter and lo-hi heat settings.

Large heating surface directs radiant heat over wide area.

Porcelain coated reflector for extended life.

Ceramic burner tile mounted with shock absorbing insulation for durability and easy replacement.

Low-Oxygen safety shut-off (ODS).

Tip-over safety shut-off.

Fold down handle reduces storage space.

High temperature wire guard.

Swivel-out fuel connection for easy LP cylinder or hose installation.

Ideal for:

- Emergency Heat
- Tents/Campers
- Workshops/ Job Sites
- Porches/ Patios/Decks
- Garages/Storage Buildings
- Picnics Tailgate Parties
- Construction Trailers
- Sporting Events
- Barns/Sheds
- Hunting Blinds
- Shelters
- Ice Fishing Shanties



Buddy heaters are not designed for permanent installation or for use above an altitude of 7,000 ft. Always check local codes for permitted uses.
NOTICE: Not for use in a "dwelling home" in California
 * Certified indoor use in the USA except MA and CA. Outdoor use only in Canada.
 Multiple patents

CSA Certified

MR. HEATER PORTABLE RADIANT "BUDDY" HEATERS

MH4B "Little Buddy®" Heater (Standard) - 3,800 BTU/Hr.

F215100

MH4B "Little Buddy®" Heater (Massachusetts/Canada)

F215120

- One button ignition/on function
- Accidental tip-over safety shut-off
- 8" round stand uses little floor space
- Automatic low oxygen shut-off system
- Heats up to 100 sq. ft.
- Connects directly to one 1lb. disposable propane cylinder
- CSA Certified



LITTLE Buddy™



Compact Portable Heat



Buddy® Heaters

MH9BX Portable “Buddy®” Heater (Standard) - 4,000 and 9,000 BTU/Hr.

F232000

MH9BX Portable “Buddy®” Heater (Massachusetts/Canada)

F232050

- Swivel regulator and single control
- Fold down handle • Hi-Low heat settings
- Automatic low oxygen shut-off system (ODS)
- Accidental tip-over safety shut-off
- Heats up to 200 sq. ft.
- Runs off a 1 lb. cylinder, connects to a 20lb. cylinder with optional hose and filter
- CSA Certified

Optional Accessories.



F273704 10' Buddy hose
(No filter required)



F273699 Fuel filter



F273701 5' hose assembly
(Filter required)



F273702 12' hose assembly
(Filter required)



F232078 Carry Bag



F232098
Warming Tray



**Portable
Buddy®**



MH18B “Big Buddy®” Heater (Standard) - 4,000, 9,000 and 18,000 BTU/Hr.

F274800

MH18B “Big Buddy®” Heater (Massachusetts/Canada)

F274865

- Swivel regulator and single control • Hi-med-low heat settings
- Automatic low oxygen shut-off system (ODS)
- Accidental tip-over safety shut-off
- Heats up to 400 sq. ft.
- Fan (Operates on 4 D batteries or A/C adapter - both sold separately)
- Connects to two 1lb. cylinders or to a 20lb. cylinder *with optional hose*
- CSA Certified

Optional Accessories.



F273701 5' hose assembly
(Filter required)



F273702 12' hose assembly
(Filter required)



F273704 10' Buddy hose
(No filter required)



F271803 Tank to quick
disconnect hose



F276127 AC adapter



F273699 Fuel Filter



F274889 Carry Bag

BIG Buddy



**220 Hrs. with two
20lb.
propane tanks**





Mr. Heater® Buddy® Wall Mount

MHVFB10I LP (Propane) - 10,000 BTU/Hr.

F255120

- Includes 10' hose for propane connection
(propane cylinder must remain outdoors)
- Red and black colors to compliment other Buddy products
- Blue flame burner for even, convection heat
- Heats up to 200 sq. ft.
- Automatic low oxygen shut-off system
- CSA Certified

** Not Approved for California, Massachusetts or Canada Customers*

Ideal for ice fishing shanties and cabins.

Buddy® Wall-Mount



NEW!
Thermostat now included



9BX Portable Buddy Carry Bag

F232078

18B Big Buddy Carry Bag

F274889

Zippered rear pocket

Oversized double zippers provide large opening for Buddy heaters

Padded shoulder strap

Large front zippered pocket holds hoses, regulators and accessories

Quick access to two 1 lb. propane cylinders



Ships 6 in counter display carton or product can be pegged independently.



Buddy® Warming Tray

9BX Portable Buddy Warming Tray

F232098

- The “Most Requested” Buddy Accessory EVER
- Snaps securely to all 9BX products
- Durable steel construction resists rust and corrosion
- High temperature powder coated
- Used to warm pre-cooked food
- Great for foil wrapped warming
- CSA certified with 9BX

** Not for direct cooking*



Ships 6 in counter display carton or product can be pegged independently.



MR. HEATER VENT-FREE RADIANT HEATERS

MHVFR10 NG - (Natural Gas) - 10,000 BTU/Hr.

F255926

MHVFR10 LP - (Propane) - 10,000 BTU/Hr.

F255852

MHVFR20TB NG - (Natural Gas) - 20,000 BTU/Hr.

F255205

MHVFR20TB LP - (Propane) - 20,000 BTU/Hr.

F255546

MHVFR30TB NG - (Natural Gas) - 30,000 BTU/Hr.

F255693

MHVFR30TB LP - (Propane) - 30,000 BTU/Hr.

F255468

- Radiant Heat burner
- Automatic low oxygen shut-off system (ODS)
- Thermostat for automatic temperature control (Not on 10,000 BTU Unit)
- Quiet integrated blower for gentle circulation of heated air (Not on 10,000 BTU Unit)
- Legs included • Wall mounting hardware included
- CSA Certified * *Not Approved for California or Canada Customers*
4500 ft High Altitude Restriction

Always check local codes for permitted uses.



MR. HEATER VENT-FREE BLUE FLAME HEATERS

MHVFB10 NG - (Natural Gas) - 10,000 BTU/Hr.

F255321

MHVFB10 LP - (Propane) - 10,000 BTU/Hr.

F255967

MHVFB20TB NG - (Natural Gas) - 20,000 BTU/Hr.

F255682

MHVFB20TB LP - (Propane) - 20,000 BTU/Hr.

F255474

MHVFB30TB NG - (Natural Gas) - 30,000 BTU/Hr.

F255539

MHVFB30TB LP - (Propane) - 30,000 BTU/Hr.

F255739

- Blue flame burner for even, convection heat
- Automatic low oxygen shut-off system (ODS)
- Thermostat for automatic temperature control (Not on 10,000 BTU Unit)
- Quiet integrated blower for gentle circulation of heated air (Not on 10,000 BTU Unit)
- Legs included • Wall mounting hardware included
- CSA Certified * *Not Approved for California or Canada Customers*
4500 ft High Altitude Restriction

Always check local codes for permitted uses.



Vent-Free Heaters

MHVFG30TB NG - (Natural Gas Garage Heat) - 30,000 BTU/Hr.

F255639

MHVFG30TB LP - (Propane Garage Heater) - 30,000 BTU/Hr.

F255839

- Blue flame burner for even, convection heat
- Automatic low oxygen shut-off system (ODS)
- Thermostat for automatic temperature control
- Quiet integrated blower for gentle circulation of heated air
- Legs included • Wall mounting hardware included
- CSA Certified * *Not Approved for California or Canada Customers*
4500 ft High Altitude Restriction

Always check local codes for permitted uses.

5 piece Universal Hook Up Kit (#F271239) is ideal for all of our vent free heaters. Included in this kit:

- 22" stainless steel flex gas connector
- Brass shut-off valve (.5" female pipe thread x 1/2" male flare)
- 1/2" male flare x 1/2" male pipe
- 1/2" male flare x 3/8" male pipe
- 1/2" male flare x 3/8" female pipe
- Special gas seal tape for connections



**HEATS
up to 1000
sq. ft.**



MR. HEATER CABINET HEATER

MH18CH - (Propane) - 6,000, 12,000 and 18,000 BTU/Hr.

F227500

- Heats up to 400 sq. ft. • Hi-Med-Low heat settings
- Hose and regulator included
- Tip-over safety shut-off switch
- Automatic low oxygen shut-off system (ODS)
- Constructed of rugged .08mm steel construction
- Limited 1 year warranty
- CSA Certified * *Not Approved for California, Massachusetts or Canada Customers*
7000 ft High Altitude Restriction

Portable radiant heat for ALL OUTDOOR APPLICATIONS! Simply roll this heater around on its heavy-duty lockable casters to deliver heat right where you need it. The MH18CH features a tip-over safety switch and a low oxygen safety shut-off system, and requires no electricity to operate. With 3 heat settings and a quick Piezo ignition the Mr Heater cabinet heater is efficient and economical to operate.



Always check local codes for permitted uses.



The World's First Cordless Forced Air Heaters

2011 marked the launch of the World's First Cordless Forced Air Heater - The HERO 35,000 BTU/Hr. This ground-breaking innovation earned numerous product awards, as well as patent protection for both the cordless and the quiet burner designs. The innovation continues in 2012 with the launch of a new larger member to the HERO family.



CORDLESS

Portability is truly a premium... take HERO's powerful heat anywhere "off the grid". Now you can be warm without the need for electricity.

QUIET

Mr. Heater's patented "Quiet Burner Technology" (QBT) reduces the annoying drone of a standard forced air heater by more than 50%! Imagine a forced air heater you can have a conversation over!

POWERFUL

Our cordless heaters operate more efficiently than their corded counter-parts and therefore heat your work-space faster.

HERO®

Innovative Marketing


Mr. Heater's innovative marketing campaign features print and web advertising that will generate over 30 million impressions during the heating season alone. This campaign will drive traffic to your stores to ring the register. Mr. Heater's website (mrheater.com) and youtube channel (<http://www.youtube.com/user/MrHeaterTV>) feature videos armed to drive home the innovative features of the world's first cordless heaters. Additionally, each carton includes a QR code to improve the in-store experience.



Mr. Heater QBT delivers 50% less noise than standard heaters.



Mr. Heaters Quiet Burner Technology® (QBT) met rave reviews in 2011 as a unique innovation on the HERO 35k BTU Forced Air Propane Heater. In 2012 this unique technology will be featured on both the 35k & 60k HERO products





THE ORIGINAL
Mr. Heater[®]

HERO[®] 35

The World's First Cordless Forced Air Heaters

Mr. Heater's new cordless forced air propane heater delivers up to 8 hrs. of warmth from an internal rechargeable battery. From remote fields to garages... from tailgating to construction sites, the Mr. Heater HERO provides powerful, quiet spot heat wherever you need it.
The Mr. Heater Hero, the worlds first cordless forced air heater.



Always check local codes for permitted uses.



MH35CLP Hero (Forced Air Propane) - 35,000 BTU/Hr.

F227900

- Powerful. Quiet. Cordless.
- 35,000 BTU/HR, propane heater heats up to 800 sq. ft.
- Runs up to 8 hrs. on internally rechargeable battery
- Operates while charging - recharges in 5 hrs.
- Runs up to 12 hrs. on a 20 lb. propane tank
- QBT - 50% Quieter than a standard propane heater
- One-touch gas valve with Piezo ignitor
- ETL Certified

Replacement Battery

F227964



10 ft. hose with regulator included



HERO 60

The World's First Cordless Forced Air Heaters

The second addition to the innovative cordless Hero family. The HERO 60 is variable from 30-60,000 BTU and features Quiet Burner Technology® (QBT) yielding 50% quieter noise output. The internally rechargeable batteries run up to 8 hours on a single charge and can also run while plugged in and charging. The perfect heater for hard to reach locations off the grid!

NEW!
30-60,000 BTU



Always check local codes for permitted uses.



MH60CLP Hero (Forced Air Propane) - 30,000-60,000 BTU/HR

F228810

- Powerful. Quiet. Cordless.
- 30-60,000 BTU/HR, propane heater heats up to 1250sq. ft.
- Ships with 1 internal battery (4 hrs.), second battery can be added to extend runtime additional 4 hrs (8 hrs. total)
- Runs up to 4 hrs. on single rechargeable battery
- Operates while charging - recharges 1 battery in 3 hrs., two at 6 hrs.
- Runs up to 14 hrs. on a 20 lb. propane tank on low setting
- QBT - 50% Quieter than a standard propane heater
- Electronic Ignition • ETL Certified

Replacement Battery

F227964





THE ORIGINAL
Mr. Heater[®]

Forced Air Propane

MR. HEATER FORCED AIR PROPANE HEATERS

Mr Heater Contractor Series Forced Air Propane Heaters range from 35K to 400K BTU's and are built to last with high quality components. Typical uses include: construction sites, patios, factories, sporting events, utility and out buildings and farming functions, (barns etc.).

MH35FA - (Propane) - 35,000 BTU/Hr.

F270035

- Heats approximately 800 sq. ft.
- Runs up to 12 hrs. on 20lb. tank
- High temperature limit switch
- Piezo ignition
- 10' hose and regulator included
- CSA certified



MH60FAV - (Propane) - 30,000-60,000 BTU/Hr.

F228160

- Heats approximately 1250 sq. ft.
- Runs up to 14 hrs. on 20lb. tank (low setting)
- High temperature limit switch
- Continuous ignition
- 10' hose and regulator included
- CSA certified



MH85FAV - (Propane) - 50,000-85,000 BTU/Hr.

F270085

- Heats approximately 2000 sq. ft.
- Runs up to 8 hrs. on 20lb. tank (low setting)
- High temperature limit switch
- Continuous ignition
- 10' hose and regulator included
- CSA certified



Forced Air Propane

MH125FAV - 75,000 - 125,000 BTU/Hr.

F270125

- Heats approximately 3,000 sq. ft.
- Runs up to 11 hrs. on 40lb. tank (low setting)
- High temperature limit switch
- Continuous ignition
- 10' hose and regulator included
- CSA certified

ACCESSORIES - 2 tank hook up kit

F273737



MH170FAVT - 125,000-170,000 BTU/Hr.

F270170

- Heats approximately 4,000 sq. ft.
- Runs up to 17 hrs. on 100lb. tank (low setting)
- High temperature limit switch
- Automatic solid state ignition
- Thermostat
- 10' hose and regulator included
- CSA certified

ACCESSORIES - 2 tank hook up kit

F273737



MH400FAVT - 250,000-400,000 BTU/Hr.

F272425

- Heats approximately 9,000 sq. ft.
- Runs up to 17 hrs. on 2-100lb. tanks (low setting)
- High temperature limit switch
- Automatic solid state ignition
- Thermostat
- 10' hose and regulator included
- CSA certified

ACCESSORIES - 2 tank hook up kit

F273737





Mr. Heater[®] Forced Air Kerosene

MR. HEATER FORCED AIR KEROSENE HEATERS

Mr. Heater Forced Air Kerosene Heaters are designed using high quality components for years of dependable service. Every heater can be assembled in 3 minutes out of the box and feature the best cold weather starting capability in the industry.

- Requires 115 VOLT AC outlet.
- Operates using kerosene, JP8 (Jet A Fuel), filtered #1 and #2 diesel, and #1 and #2 fuel oil.
- Will burn at extremely low, sub-zero temperatures.

LIQUID FUELS PRODUCE EXCELLENT RESULTS IN EXTREME COLD. WHEN CHANGING FUEL TYPES, ADJUST AIR/FUEL MIX FOR BEST PERFORMANCE.

MH50KR - 50,000 BTU/Hr.

F270255

- Heats approximately 1200 sq. ft.
- Runs up to 11 hrs. on full tank
- Easy-off access panel
- 4 gallon fuel tank
- Overheat safety shut-off
- Continuous ignition
- CSA certified



ACCESSORIES - In-line Thermostat

F261210

MH75KTR - 75,000 BTU/Hr.

F270270

- Heats approximately 1750 sq. ft.
- Runs up to 11 hrs. on full tank
- Easy-off Access Panel
- Continuous ignition
- 6 gallon fuel tank
- Overheat safety shut-off
- Thermostat
- CSA Certified

The MH75KTR Forced Air Kerosene Heater also features: illuminated on/off switch, fuel gauge, cord wrap, easy-off gas cap, drain plug, and an electric outlet.



Forced Air Kerosene

MH135KTR - 135,000 BTU/Hr.

F270345

- Heats approximately 3000 sq. ft. • Runs up to 9.5 hrs. on full tank
- 8.5 gallon fuel tank • Easy-off access panel and side lift handles
- Trouble shooting diagnostics with LED indicator
- Overheat safety shut-off
- Continuous ignition
- Thermostat • CSA certified

The MH135KTR also features: illuminated on/off switch, fuel gauge, air pressure gauge, cord wrap, easy-off gas cap, drain plug, electric outlet, and 10" pneumatic tires.

**NEW
Higher
Output**



Replaces MH125KTR (F270320)



MH185KTR - 185,000 BTU/Hr.

F270350

- Heats approximately 4250 sq. ft. • Runs up to 10 hrs. on full tank
- 13.4 gallon fuel tank • Easy-off access panel and side lift handles
- Trouble shooting diagnostics with LED indicator
- Overheat safety shut-off
- Continuous ignition
- Thermostat • CSA certified

The MH185KTR also features: illuminated on/off switch, fuel gauge, air pressure gauge, cord wrap, easy-off gas cap, drain plug, electric outlet, and 10" pneumatic tires.

**NEW
Higher
Output**



Replaces MH175KTR (F270370)



MH210KTR - 210,000 BTU/Hr.

F270385

- Heats approximately 6000 sq. ft. • Runs up to 9.5 hrs. on full tank
- 13.4 gallon fuel tank • Easy-off access panel and side lift handles
- Trouble shooting diagnostics with LED indicator
- Overheat safety shut-off
- Continuous ignition
- Thermostat • CSA certified

The MH210KTR also features: illuminated on/off switch, fuel gauge, air pressure gauge, cord wrap, easy-off gas cap, drain plug, electric outlet, and 10" pneumatic tires.



MR. HEATER INDIRECT FIRED UNIT HEATERS

Consumers across the country are turning their garages and barns into heated work spaces that can be used comfortably 12 months per year. Mr. Heater Unit Heaters use a built-in electric high-velocity fan to pull cool air into the rear of the heater and over a heat exchanger, forcing hot air into the surrounding area. Our Unit heaters require 115 VOLT AC power and can operate using propane (LP) or natural gas (NG). Proper venting is required and is sold separately.

EASY INSTALLATION AND OPERATING VERSATILITY

Easy outside access to thermostat and A/C terminals

Low profile design - Can be installed in low-ceiling buildings

BUILT-IN RELIABILITY

Aluminum tubular heat exchanger for maximum efficiency and longer life

Easily installs from ceiling with 2 angle brackets (included)

Spark ignition - features self-diagnostic control module

Power exhaust allows for vertical or horizontal venting

Limited 3 year warranty on parts and burner

Designed for right or left side venting

Limited 10 year warranty on heat exchanger



CSA Certified

Always check local codes for permitted uses.

MHU50LP - 50,000 BTU/Hr. (Propane)

F260410

MHU50NG - (Natural Gas)

F260420

- Heats up to 700 sq. ft.
- Spark ignition features self-diagnostic control module
- Includes angle brackets (2) for ceiling mount
- 3" Flue size for vertical vent - 4" for horizontal
- CSA Certified

Fuel Conversion Kits

F260174 Converts 50,000 & 80,000 BTU Big Maxx Unit heater from propane to natural gas

F260175 Converts 50,000 & 80,000 BTU Big Maxx Unit heater from natural gas to propane

(Conversion Kits sold separately)



Replaces MHU45LP/NG (F260145, F260045)



Unit Heaters and Accessories

MHU80LP - 80,000 BTU/Hr. (Propane)

F260430

MHU80NG - (Natural Gas)

F260440

- Heats up to 1000 sq. ft.
- Spark ignition features self-diagnostic control module
- Includes angle brackets (2) for ceiling mount
- 1/2" gas connection
- 4" Flue size
- CSA Certified



Fuel Conversion Kits

F260174 Converts 50,000 & 80,000 BTU Big Maxx Unit heater from propane to natural gas

F260175 Converts 50,000 & 80,000 BTU Big Maxx Unit heater from natural gas to propane

Replaces MHU75LP/NG
(F260875, F260775)

(Conversion Kits sold separately)



UNIT HEATER ACCESSORIES AND VENT KITS

Universal Hook Up Kit Stock

F271239

- 22" stainless steel flex gas connector
- Brass shut-off valve (.5" female pipe thread x 1/2" male flare)
- 1/2" male flare x 1/2" male pipe
- 1/2" male flare x 3/8" male pipe
- 1/2" male flare x 3/8" female pipe
- Special gas seal tape for connections



24 Volt Thermostat

F210371

- Class 2 milivolt systems
- UL listed
- Model #UT1001



Vent Kit - Vertical, 3"

F102840

Includes: (1) 3" x 4" adapter, (1) 4" x 36" B-vent pipe, (2) 4" x 24" vent pipe, (1) 4" 90-degree elbow, wall thimble, vent cap

Vent Kit - Horizontal - 4"

F102860 (Stainless Steel meets new 2012 Standards)

Includes: (1) 3" to 4" adapter, (1) 4" x 36" B-vent pipe, (2) 4" x 24" vent pipe, (1) 4" 90-degree elbow, wall thimble, roof flashing, storm collar, vent cap

Vent Kit - Vertical- 4"

F102848

Includes: (1) 3" to 4" adapter, (1) 4" x 36" B-vent pipe, (2) 4" x 24" vent pipe, (1) 4" 90-degree elbow, wall thimble, roof flashing, storm collar, vent cap



F102848 pictured

MR. HEATER HIGH INTENSITY RADIANT GARAGE HEATERS

MH25LP - 22,000 BTU/Hr. (Propane)

F272100

MH25NG - 25,000 BTU/Hr. (Natural Gas)

F272200

MH25LP - 22,000 BTU/Hr. (Propane) - Canada

F272275

MH25NG - 25,000 BTU/Hr. (Natural Gas) - Canada

F272290

- Heats up to 500-600 sq. ft. (2-1/2 car garage)
- For use in low profile buildings with 7-8 ft. ceilings
- No electricity required - heats during power outages
- Includes thermostat and all necessary brackets and hardware • CSA certified

ACCESSORIES - Universal Hook Up Kit - F271239

FUEL CONVERSION KIT - NG to LP - F200293

FUEL CONVERSION KIT - LP to NG - F200294



MH40LP - 40,000 BTU/Hr. (Propane)

F272700

MH40NG - 40,000 BTU/Hr. (Natural Gas)


F272800

- Heats up to 750 sq. ft.
- For use in buildings with 12-15 ft. ceilings
- No electricity required - heats during power outages
- Includes thermostat and all necessary brackets and hardware
- CSA certified

ACCESSORIES - Universal Hook Up Kit - F271239

FUEL CONVERSION KIT - NG to LP - 00285A

FUEL CONVERSION KIT - LP to NG - 00286A



MR. HEATER LOW INTENSITY INFRARED TUBE HEATERS

MHT45NG - 40,000 BTU/Hr. (Natural Gas)

F208850

MHT45LP - 40,000 BTU/Hr. (Propane)

F208851

- Provides uniform heat distribution
- Compact - 3" aluminized steel U-tube design
- Polished aluminum deep-dish reflector
- Commercial and residential approved • Indoor and outdoor approved
- CSA certified

ACCESSORIES - Vertical 3" Vent Kit - F102840

ACCESSORIES - 24v Thermostat - F210371



Convection/Portable Radiant Heaters

MR. HEATER CONVECTION HEATERS

MH80CV - 30,000 - 80,000 BTU/Hr.

F270480

- Heats approximately 1,900 sq. ft. • Runs up to 14 hrs. on 20lb. tank (low setting)
- Standing pilot for increased safety • Piezo push button ignitor
- Telescoping chamber for reduced ship cube/retail space
- "Insta-lock" chamber for easy assembly
- 10' hose and regulator included
- CSA certified

ECONOMICAL HEAT!



MH200CV - 75,000 - 200,000 BTU/Hr.

F270600

- Heats approximately 4,700 sq. ft. • Runs up to 29 hrs. on 100lb. tank (low setting)
- Standing pilot for increased safety • Piezo push button ignitor
- Telescoping chamber for reduced ship cube/retail space
- "Insta-lock" chamber for easy assembly
- 10' hose and regulator included
- CSA certified

GREAT FOR JOBSITES!



MR. HEATER PORTABLE RADIANT HEATERS

MH35LP - 35,000 BTU/Hr.

F270700

- Heats up to 800 sq. ft. • No electricity required • Clean burning, quiet, odorless
- Tip-over switch, safety shut-off
- P.O.L. Connection with 12' hose included
- Operates on standard 20lb. cylinder
- Includes fold-down handle and 3.5" solid rubber tires for easy transport
- Fully assembled, ready to use
- CSA certified

LARGE EFFICIENT RADIANT HEAT



MH125LP - 125,000 BTU/Hr.

F270800

- Heats up to 3,000 sq. ft. • Rugged, durable construction • No electricity required
- Welded frame, heat shield, safety shut-off, regulator
- P.O.L. connection with 10' hose included
- Recommended for operation on cylinders 100 lbs. and larger
- Fully assembled - ready to use • Includes handles & wheels
- CSA certified



ACCESSORIES - 2 tank hook up kit

F273737

MR. HEATER HAND HELD TORCH

MH500PT - 500,000 BTU/Hr.

F272600

- 10 foot hose
- Excess flow P.O.L. fitting
- 31" handle
- Lightweight, easy to use
- Cut case packaging
- CSA certified



Typical Uses: Melting Ice/Snow, Burning Weeds

Ships in stand-alone display carton




INDOOR/OUTDOOR ELECTRIC INFRARED HEATER

MHE120-15 - 120V/1500W

F236115

HEAVY Duty Waterproof Construction

NEW



CONVENIENT AND VERSATILE

- Completely waterproof(IP65 rated)
- Instant On/Instant Off, Dimmable and controllable
- Adjustable, aluminum wall-mounting bracket
- Simple 120V plug-in application (or can be hard wired)
- Virtually maintenance-free
- Durable anodized aluminum construction
- Minimum mounting height - 8'2"

RELIABLE, EFFICIENT AND EFFECTIVE

- Instant heat, warm ambient glow
- Safe and odorless
- Instant and directional

Typical Uses: Outdoor porches/patios, indoor/outdoor work spaces, garages and sheds





Mr. Heater[®] Hoses, Fittings and Accessories

Mr. Heater has assembled the industries most complete line of high quality propane hoses, fittings and accessories. These products allow connections to all types of high and low pressure appliances in the camping, grilling, R.V., and outdoor markets. Mr. Heaters accessories are designed to work universally with all brands of propane appliances. Each individual package explains product uses and make it easy for the consumer to find the right accessories. All Mr. Heaters accessories are assembled in the USA and stocked in our Cleveland OH warehouse.

Mr. Heater accessory planograms deliver high store traffic and become a destination for propane appliance education and connectivity. Purchase a Mr. Heater ready designed planogram or design your own.



**Mr. Heater...
The destination for
propane appliance
education and
connectivity**

MR. HEATER HOSES, FITTINGS & ACCESSORIES PLAN-O-GRAMS



AVALON Planogram - 27 products (2 each)

F273949



TOP 20 2' Planogram - 20 products (2 each)

F273961

*See page 43
For a complete
parts breakdown of
each planogram.*

Planogram advantages

- Single source parts acquisition • Installation guide shows how-tos and in use

20" Propane Hose Assembly

F271138-20

(Acme Nut x 1/4" Male Pipe Thread)
Commonly used to connect a bulk cylinder on a camper to a regulator.



5' Propane Hose Assembly

F271144-60

12' Hose Assembly

F271144-144

(Excess Flow Soft Nose P.O.L. x 1/4" Inverted Male Flare) Commonly used to connect an aux. tank to a motor home.



3' Propane Hose Assembly

F271149-36

6' Hose Assembly

F271149-72

(3/8" Female Flare x 3/8" Female Flare) - Connects existing gas line to appliances equipped with 3/8" male flare



12" Acme Flexible Pigtail Hose Assembly

F271158-12

15" Hose Assembly

F271158-15

18" Hose Assembly

(Acme Nut x 1/4" Inverted Male Flare) Connects to propane tank and auto change-over dual stage regulator.



22" Repl. Propane BBQ Hose & Regulator Assembly with Appliance End Fitting/Acme Nut

F271161

(Regulator w/Appliance End Fitting/Acme Nut x 3/8" Female Flare) - For Type 1 (QCC-1©) gas grill systems



30" Propane Hose Assembly

F271163-30

60" Hose Assembly

F271163-60

(3/8" Male Pipe Thread x 3/8" Female Flare) - Most commonly used to hook a low pressure regulator to an appliance.



15' Propane Appliance Extension Hose Assembly

F271470

(3/8" Male Pipe Thread x 3/8" Female Pipe Thread) (3/8" ID High Pressure Hose)
Used in addition to the existing hose for more length between cylinder and propane appliances such as: *MH35LP, MH125LP, MH55FAV, MH85FAV, MH125FAV, MH170FAVT, MH400FAVT and MH80CV.*



15' Propane Appliance Extension Hose Assembly

F271474

(1/4" Male Pipe Thread x 1/4" Female Pipe Thread) (1/4" ID High Pressure Hose)
Use as an extension hose for portable propane appliances such as: *MH85FA and MH200CV.*



Hose Assemblies

12' Big/Tough Buddy RV Hose

F271802

(Quick Connect x 3/8" Female Flare) Used to hook an existing regulated propane line in a camper or motor home to the Big/Tough Buddy.



12' Big/Tough Buddy Hose w/Regulator

F271803

(Quick Connect x Regulator w/Acme Nut) - Used to hook a Big/Tough Buddy to a 20lb. propane cylinder.



5' Propane Hose/Regulator Assembly

F273071

12' Hose/Regulator Assembly

F273072

(Regulator w/Restricted Flow Soft Nose P.O.L. and Hand Wheel x 3/8" Female Flare) Connects low pressure portable propane appliances to a 20lb. cylinder.



5' Propane Hose/Regulator Assembly

F273076

12' Hose/Regulator Assembly

F273077

(Regulator w/Restricted Flow Soft Nose P.O.L. and Handwheel x 3/8" Female Pipe Thread) Connects low pressure portable propane appliances to 20lb. cylinder.



5' Propane Hose Assembly

F273701

12' Hose Assembly

F273702

(Swivel 1" - 20 Male Throwaway Cylinder Thread x Excess Flow Soft Nose P.O.L w/Handwheel) Connects appliances that are designed for disposable cylinders to a 5-20lb. cylinder.



Hand tighten swivel on both ends.

5' Propane Hose Assembly

F273703-60

12' Hose Assembly

F273703-144

(Appliance End fitting/Acme Nut x 1" - 20 Male Throwaway Cylinder Thread) Used to connect portable appliances to a 20 lb. tank.



10' Buddy Series Hose Assembly

F273704

(Swivel 1" - 20 Male Throwaway Cylinder Thread x Soft Nose Excess Flow P.O.L w/Handwheel) Connects appliances that are designed to be connected to 1lb. bottles to 5-20lb. tanks. Connects low pressure to high pressure tanks.

Hand tighten swivels on both ends.



5' Propane Hose Assembly

F273707

9' Hose Assembly

F273707-108

(1/4" Male Pipe Thread x 3/8" Female Flare) Replaces most hose assemblies between regulator and fish cooker/smoker, torches, or other appliances.



5' Propane Hose Assembly

F273710

(Swivel 1"-20 Male Throwaway Cylinder Thread x Swivel 1"-20 Female Throwaway Cylinder Thread) - Used with most distribution posts or "T" and "Y" connectors as well as 1lb. disposable cylinders.

Hand tighten swivel on both ends.



12' Hose Assembly

F273711

22" Propane Replacement Barbecue Hose

F273716

(3/8" Male Pipe Thread x 3/8" Female Flare) - Fits most barbecue gas grills.



5' Propane Appliance Extension Hose Assembly

F273717

(1/4" Male Pipe Thread x 1/4" Female Pipe Thread) (1/4" ID High Pressure Hose) - Use as an extension hose for portable propane appliances.



12' Natural Gas Patio Hose Assembly

F273720

(3/8" Female Pipe Thread x 3/8" Male Flare Quick Connect/Disconnect with Dust Plug and Cap) Used when connecting natural gas barbecue grills attached to decks or patios to the supply from a structure.



3' Propane Hose Assembly

F273726

(3/8" Female Flare x 1/2" Female Flare) - Connects inlet pipe to camper with propane tank regulator.



5' Propane Hose Assembly

F276124

(3/8" Male Pipe Thread x 3/8" Female Pipe Thread) Used to connect low pressure appliances to low pressure regulators.



5' Propane Hose Assembly

F276148


(9/16" Left Hand Female Threads on Both Ends) Used to connect one hose or for additional length connect two F276148 hoses with F276154 brass fitting



90° Propane Fitting

F216665

1/4" Male Pipe Thread
x 1/4" Female Pipe Thread



1/2" Male Flare x 1/2" Male Pipe Thread

F271242



1/2" Male Flare x 1/2" Female Pipe Thread

F271245



Excess Flow Soft Nose P.O.L. x 1/4" Male Pipe Thread

F273655



1/4" Male Pipe Thread x 1/4" Inverted Female Flare

F273729



1/4" Male Pipe Thread x 1"-20 Female Throwaway Cylinder Thread

F273754



1/4" Male Pipe Thread x 1"-20 Male Throwaway Cylinder Thread

F273755



1/4" Male Pipe Thread x Restricted Flow Soft Nose P.O.L. w/Handwheel

F273756



9/16" Left Hand Thread x Restricted Flow Soft Nose P.O.L. w/Handwheel

F273757



1/4" Male Pipe Thread x Full Flow Soft Nose P.O.L. w/Handwheel

F273762



1/4" Male Pipe Thread x Female P.O.L. w/Acme Thread

F273791



9/16" Left Hand Thread x Restricted Flow Soft Nose P.O.L.

F276129



9/16" Left Hand Male Thread x 1"-20 Throwaway Cylinder Thread w/Shut-off

F276130



1/4" Male Pipe Thread x Restricted Flow Soft Nose P.O.L.

F276139



Propane Male Throwaway Cylinder Adapter

F276140

(1" - 20 Male Throwaway Cylinder Thread x 1/4" Female Pipe Thread)



1/4" Male Pipe Thread x 9/16" Left Hand Male Thread

F276152



3/8" Male Pipe Thread x 9/16" Left Hand Male Thread

F276153



9/16" Left Hand Male Pipe Thread x 9/16" Left Hand Male Thread

F276154



3/8" Male Pipe Thread x 3/8" Male Flare

F276262



Propane Adapter Tee

F273751

(Excess Flow Soft Nose P.O.L. x 1"-20 Throwaway Cylinder Thread x Female P.O.L. w/Acme Thread)

(Use with hose assy. F273710-11 and F273701-02).



Stay A While Tee

F273752

(Excess Flow Soft Nose P.O.L. x 1"-20 Male Throwaway Cylinder Thread x Female P.O.L. w/Acme Thread x 1/4" Inverted Female Flare) - Connects aux. cylinder to additional appliance.



90° Stay Flow Adapter

F273753

(Excess Flow Soft Nose P.O.L. x 1"-20 Male Throwaway Cylinder Thread x Female P.O.L. and Acme Thread) - Connects additional appliance to 20lb. propane tank.



90° Elbow

F273760

(Restricted Flow Soft Nose P.O.L. x 1" - 20 Male Throwaway Cylinder Thread) - Allows appliances designed for to be attached directly to refill cylinder such as a lantern.



Propane Bulk Cylinder Adapter with Handwheel

F273758

(1"-20 Throwaway Cylinder Thread x Restricted Flow Soft Nose P.O.L.) To be attached directly to a bulk tank (i.e., Mr. Camper, Coleman Co. Inc.[®], or Century Primus[®] stove).



Brass Fittings & Accessories

Propane Bulk Cylinder Adapter without Handwheel

F276132

(1"-20 Throwaway Cylinder Thread x Restricted Flow Soft Nose P.O.L.) To be attached directly to a bulk tank (i.e., Mr. Camper, Coleman Co. Inc.[®], or Century Primus[®] stove).



Propane Bulk Cylinder Adapter with Appliance End Fitting/Acme Nut

F276133

(Acme Nut x 1"-20 Male Throwaway Cylinder Thread) Used to hook portable appliances to new propane tanks.



Propane "Y" Male Adapter with Handwheel

F271715

(2 - 1"-20 Throwaway Cylinder Threads x Excess Flow Soft Nose P.O.L.) Hookup 2 appliances to a refillable 20lb. cylinder (use with F273710-11 hose assy.).



Propane Post Adapter Valve

F271725

(9/16" Left Hand Thread x 1"-20 Female Throwaway Cylinder Thread) Use of 9/16" Left Hand hose assembly with Coleman Co. Inc.[®], Century Primus[®], etc.



Propane "Y" Female Adapter with Handwheel

F271735

(Two Female P.O.L.'s w/Acme Threads & Excess Flow Soft. Nose P.O.L.) Hook up 2 appliances to a bulk cylinder (use with F273701-02).



30"/15" Propane Distribution Post/Tree

F271741

(Three 1"-20 Male Throwaway Cylinder Threads x Full Flow Soft Nose P.O.L.) Hooks 3 appliances to a single 20lb. cylinder. Can hook up to new QCC-1[®] and old style cylinders.



Propane "Steak Saver" Adapter

F276171

(1" - 20 Female Throwaway Cylinder Thread x Female P.O.L. & Acme Thread) Used with 1lb. bottles to grills or distribution posts to grills.



Propane Tank Refill Adapter

F276172

(Female Throwaway Cylinder Thread x Soft Nose P.O.L.) - Refills 1lb. bottles in 1 minute or less. NOT AVAILABLE IN CANADA



Propane Gas Gauge/Leak Detector

F276336

(Appliance End Fitting/Acme Nut x Acme Thread and Female P.O.L.) - Meets all Type 1 safety standards with a gauge. Detects dangerous leaks in propane system.



Propane Brass Caps

F276400

(1" - 20 Female Pipe Thread) - Provides threaded protection for most posts, tees, etc. Two caps provided.



Propane Grill Acme Nut (Black)

F276495

(Appliance End Fitting/Acme Nut x 1/4" Male Pipe Thread) For appliances with 80,000 BTU's or less.



Propane Acme Nut (Green)

F276497

(Appliance End Fitting/Acme Nut x 1/4" Male Pipe Thread) - 200,000 BTU Capacity





THE ORIGINAL
Mr. Heater[®]

Gas Mate™ Quick Connector Kits

Propane/Natural Gas Connector Kit w/Shut-off valve & Full Flow Male Plug

F276181

(1/4" Male Pipe Thread x 1/4" Female Pipe Thread)
CSA certified;
UL approved
Low pressure



Propane or Natural Gas 1/4" Quick Connector & Excess Flow Male Plug

F276186

(1/4" Male Pipe Thread x 1/4" Female Pipe Thread)
CSA certified
UL approved
Low pressure



Propane or Natural Gas 3/8" Quick Connector & Full Flow Male Plug

F276187

(3/8" Male Pipe Thread x 3/8" Female Pipe Thread)
CSA certified
UL approved



Propane or Natural Gas Connector & Full Flow Male Plug

F276190

(Acme Nut x 1"-20 Male Throwaway Cylinder Thread)
Used to hook portable appliances to new propane tanks.



Propane or Natural Gas Full Flow Male Plug

F276281

(1/4" Male Pipe Thread x Full Flow Male Plug) - For high pressure appliances. Can be used with F276334 or can replace excess flow plug-in F276186 & F276330



Propane or Natural Gas Excess Flow Male Plug

F276328

(1/4" Male Pipe Thread x Male Plug Quick Connect Fitting) - For appliances 80,000 BTU's or less. For use with F276334. CSA certified; UL approved.



Propane Cylinder Fill Plug

F276329

(7/8" Female P.O.L. x Male Plug) - Use with Gas Mate II Quick Connect Coupling Kit. (F276330).
CSA certified; UL approved.



Propane Gas Coupling Adapter Kit

F276330

(1/4" Male Pipe Thread x Male Plug) (Quick Connect x Soft Nose Excess Flow P.O.L.) Provides plug in/plug out use of appliances.
CSA certified; UL approved.



Propane Gas Grill "Quick Connect" Adapter

F276334

(Quick Connect x Soft Nose Excess Flow P.O.L.) Use with Ducane, Weber & PGS gas grills or other grill users of a Gas Mate II system.
CSA certified
UL Approved.



**Not sure what you need?
Call us or
visit our website.**



Universal Fuel Filter

F273699

Required for use with all Portable Buddy and Big Buddy Heaters when attaching to a 20 lb. propane tank. Most commonly used with F273701(5') and F273702(12') Hose Assemblies

Thermostat - For portable kerosene

F261210



TankFoot® Tank Stabilizer

F273169

F273169-6

F273169-30



Fits 20lb., 30lb. and 40lb. cylinders; reduces risk of tipping cylinder while on jobsite and transporting in your R.V., pick-up, car, etc.



Handwheel

F273783

(2 handwheels per pack) Used with Mr. Heater products and P.O.L. nuts that use a 7/8" open end wrench



O-Rings

F273786

(20 per pack) Used to replace o-rings on Mr. Heater Soft Nose P.O.L.'s



6v/800mA Power Adapter

F276127

Use with Big Buddy and Tough Buddy heaters. Uses standard 110 outlet. Also powers products requiring 6VDC and up to 800mA current.



Propane Tank Cap & Strap

F276372

Provides protection of external threads on bulk propane tanks





THE ORIGINAL
Mr. Heater[®]

Propane Regulators

High Pressure Regulator with P.O.L.

F273719

Range of 1-60 PSI (Full Flow Soft Nose P.O.L. X 1/4" Female Pipe Thread) - Most commonly used on torches, fish cookers, smokers or other high pressure appliances.



90° Propane Low Pressure Regulator

F273759

(1/4" Male Pipe Thread x 1/4" Female Pipe Thread)
CSA certified, UL approved, Low pressure



90° Low Pressure Regulator with Appliance End Fitting /Acme Nut

F273761

(3/8" Female Pipe Thread x Appliance End Fitting) - For Type 1 (QCC-1[®]) gas grill systems. 11" W.C. regulator. 75,000 BTU max flow.



Propane Two Stage Regulator

F273763

(1/4" Female Pipe Thread (Inlet) x 3/8" Female Pipe Thread (Outlet)) - 11" W.C. setting. 1/2 PSI output 160,000 BTU max flow.



Propane Auto-Changeover Two Stage Regulator

F273766

(2 - 1/4" Inverted Female Flare Inlets x 3/8" Female Pipe Outlet) - Use with two bulk cylinders, R.V.'s, dual tank hook-ups, etc. 160,000 BTU max flow.



Propane Low Pressure LP Regulator

F273767

(1/4" Female Pipe Thread (Inlet) x 3/8" Female Pipe Thread (Outlet))
Use with low pressure appliances up to 200,000 BTU's.



Portable Propane Table Top Regulator

F273769

(1"-20 Female Throwaway Cylinder Thread Inlet x Orifice Outlet)
Used with most tabletop grills.



Propane Two Stage Regulator

F273863

(Excess Flow Soft Nose P.O.L. (Inlet) x 3/8" Female Pipe Thread (Outlet)) - Use with propane fueled indoor/outdoor appliances. 160,000 BTU max. flow



Propane Low Pressure Regulator

F276136

(3/8" Female Pipe Thread x Restricted Flow Soft Nose P.O.L.)
- 11" W.C. low pressure regulator will operate barbecue grills and low pressure appliances. 75,000 BTU max flow.



Our propane regulators differ in size and shape, delivery pressure and adjustability but are uniform in their purpose to deliver a constant outlet pressure for connected appliances. In all regulators, outlet pressure is lower than inlet pressure.

Stay Flow

F273714

(12' Propane Hose/Tee Assembly) - Commonly used in RV applications to provide additional source of propane to high pressure appliances. (Swivel 1" - 20 Male throwaway cylinder thread x swivel 1" - 20 female throwaway cylinder thread x tee assembly; excess flow Soft Nose P.O.L. x 1" - 20 male throwaway cylinder thread x female P.O.L. and Acme thread)



Stay Flow Plus

F273735

(12' Propane Hose Assembly: Swivel 1"-20 Male Throwaway Cylinder Thread x Swivel 1"-20 Female Throwaway Cylinder Thread; 90° Stay Flow Adapter: Excess Flow Soft Nose P.O.L. x 1"-20 Male Throwaway Cylinder Thread x Female P.O.L. w/Acme Thread) - Connects camper and additional appliance to a 20lb. propane tank.



Stay A While

F273733

5' Propane Flexible pigtail hose assembly: Soft Nose excess flow P.O.L. x 1/4" inverted male flare; stay a while tee: excess flow Soft Nose P.O.L. x 1" - 20 male throwaway cylinder thread x female P.O.L. w/Acme thread x 1/4" inverted female flare)) - Connects auxiliary propane hose cylinder to motor home.



Stay A While Deluxe

F273734

(12' Propane Hose Assembly: Swivel 1"-20 Male Throwaway Cylinder Thread x Swivel 1" - 10 Female throwaway cylinder thread; 5' hose assembly: excess flow Soft Nose P.O.L. x 1/4" inverted male flare; stay a while tee: excess flow Soft Nose P.O.L. x 1" - 20 male throwaway cylinder thread x female P.O.L. w/Acme thread x 1/4" inverted female flare)



2 Tank Hook Up Kit

F273737

(30" Hose Assembly with Excess Flow Soft Nose P.O.L.'s on both ends x Full Flow Tee) - Most commonly used to hook multiple bulk tanks to most applications.



"One Stop" Universal Gas Appliance Hook-up Kit

F271239

Kit includes:

- 22" stainless steel flex gas connector
- Brass shut-off valve (1/2" female pipe thread x 1/2" male flare)
- 1/2" male flare x 1/2" male pipe
- 1/2" male flare x 3/8" male pipe
- 1/2" male flare x 3/8" female pipe
- Special gas seal tape for connections



Tank Top Replacement Parts

Regulator for Mr. Heater and Sun Rite Tank Top Heaters

F237314

MR. HEATER: MH15T, MH15TS, MH30T, MH30TS, MH45T
SUNRITE: SRC15T, SRC30T

Replaces part #17314



NEW

Safety Shut-off for Mr. Heater and SunRite Tank Top Heaters

F237416

MR. HEATER: MH15T, MH15TS, MH30T, MH30TS, MH45T
SUNRITE: SRC15T, SRC30T



NEW

Thermocouple assembly with tip over switch

F237349

SUNRITE: SRC15T, SRC30T

Replaces part #17349



NEW

Thermocouple assembly

F237425

MR. HEATER: MH15T, MH15TS, MH30T, MH30TS, MH45T

Replaces part #17425



NEW

Screen assembly

F232138

MR. HEATER: MH15T, MH15TS, MH30T, MH30TS, MH45T
SUNRITE: SRC15T, SRC30T



NEW

Safety Shut-off Valve with Orifice

F273116

Replacement for most Mr. Heater Tank Top Models (Replacement for Mr. Heater models up to and including 2010)



12.5" Thermocouple Lead

F273117

Replacement for most Mr. Heater Tank Top Models (Replacement for Mr. Heater models up to and including 2010)



Grid Screen Kit

F273164

Replacement for most Mr. Heater Tank Top Models (Includes replacement hardware) (Replacement for Mr. Heater models up to and including 2010)



Regulator, Hi-Med-Lo and Soft Nose P.O.L.

F273606

Replacement for Mr. Heater Models MH12T, MH24T and MH42T (Replacement for Mr. Heater models up to and including 2010)



Regulator

F273607

Replacement for Mr. Heater Models MH12 & MH12C (Replacement for Mr. Heater models up to and including 2010)



Replacement Filter Kit (2009 models through current)

F221887

MR. HEATER: MH50KTR, MH75KTR, MH125KTR, MH175KTR, MH210KTR
CONTRACTOR SERIES: TS75KR, TS125KTR, TS175KTR, TS210KTR
CONTRACTOR PLUS: PA50KR, PA75KTR, PA175KTR, PA210KTR
HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT



Replacement Filter Kit (2005 models through 2008)

F263016

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT, MH210KT
HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT, HS210KT



Replacement Filter Kit (2003-2004 models)

F263015

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT
HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT

ALL PRO: SPC-K50, SPC-K100, SPC-K150

UNIVERSAL: K50-FA, K100-FA, K150-FAT

NOTE: For 2003 production models and older



Electrode Kit (2005 models and prior)

F221803

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT
HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT

Replaces part #21803




Rotor Kit (2003 models through current)

F226831

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT
HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT

ALL PRO: SPC-, SPC-K50, SPC-K100, SPC-K125, SPC-K150, SPC-K175

UNIVERSAL: K50-FA, K75, K100-FAT, K125, K150-FAT, K175



Flame Sensor Kit (2003 models through current)

F226865

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT
HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT

ALL PRO: SPC-K50, SPC-K100, SPC-K150

UNIVERSAL: K50-FA, K100-FA, K150-FA

Replaces part #s:
26903
26924
26925



Electrode Kit (FAK 2006 models through current) **NEW**

F221857

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT, MH210KT
MR. HEATER: MH50KR, MH75KTR, MH125KTR, MH175KT, MH210KT
HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT, HS210KT

Replaces part #21819



Pump Adjustment Kit (2003 models through current)

F266842

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT(2003-2008)
MR. HEATER: MH50KR, MH75KTR, MH125KTR, MH175KTR, MH210KTR (2009-present)

HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT

ALL PRO: SPC-K50, SPC-K100, SPC-K150

UNIVERSAL: K50-FA, K100-FA, K150-FA





THE ORIGINAL
Mr. Heater[®]

Mr. Heater FAK/LP Replacement Parts

Nozzle Kit (2003 models through current)

F227416

MR. HEATER: MH50KT
HEATSTAR: HS50KT



Replaces part #27416



Nozzle Kit - (2003 models through current)

F221878

MR. HEATER: MH75KT/MH75KTR
HEATSTAR: HS75KT



Replaces part #28741

NEW



Nozzle Kit (2003 models through current)

F221879

MR. HEATER: MH125KT/MH125KTR
HEATSTAR: HS125KT



Replaces part #28742

NEW



Nozzle Kit (2003 models through current)

F221889

MR. HEATER: MH175KT/MH175KTR
HEATSTAR: HS175KT



Replaces part #28743

NEW



Nozzle Kit (2003 models through current)

F221891

MR. HEATER: MH210KT/MH210KTR
HEATSTAR: HS210KT



Replaces part #22109

NEW



Spark Plug

F228794

MR. HEATER: MH170FAVT
HEATSTAR: HS170FAVT



Replaces part #28774

NEW



Spark Plug

F228795

MR. HEATER: MH85FAV (2003-08), MH125FAV (2003-CURRENT)
HEATSTAR: HS85FAV (2003-08), HS125FAV (2003-CURRENT)



Replaces part #21083

NEW



High Limit Switch

F228796

MR. HEATER: MH35FA, MH170FAVT, MH400FAVT
HEATSTAR: HS35FA, HS170FAVT, MH400FAVT



Replaces part #26168

NEW



High Limit Switch

F228797

MR. HEATER: MH55FAV, MH85FAV
HEATSTAR: HS55FAV, HS85FAV



Replaces part #21751

NEW



High Limit Switch

F228798

MR. HEATER: MH125FAV
HEATSTAR: HS125FAV



Replaces part #22003

NEW



Mr. Heater Buddy & Vent Free Replacement Parts

Buddy Pilot Assemblies

Pilot Assembly for Big Buddy

F278527

MR. HEATER: *MH18B*

Replaces part #78422



Pilot Assembly for Portable Buddy

F273401

MR. HEATER: *MH9B(2001-2008)* *MH9BX(2009-CURRENT)*

Replaces part #73404



Vent-Free Series Pilot Assemblies

NEW

Vent-Free Pilot Assemblies (LP)

F270399

All Mr. Heater / Heatstar 20k & 30k LP Vent Free Heater

Replaces part #70358



Vent-Free Pilot Assemblies (NG)

F270398

All Mr. Heater / Heatstar 20k & 30k NG Vent Free Heater

Replaces part #70339





THE ORIGINAL

Mr. Heater®

BaseCamp Gaslight Replacement Parts

Chandelier Kit (Fits Paulin® Gas Lights)

F220370

Used to suspend gas lights from ceiling. Kit can be used with 1, 2, or 3 gaslights and includes all hardware.



Preformed Mantle (Fits Paulin® Gas Lights)

F220351

Replaces broken preformed mantle, or can be used with ceramic burner head 20338 and gasket 20339 to convert light from soft. mantle to preformed mantle.



Ceramic Burner Head (For Preformed Mantle)

20338

Replaces broken burner head, or can be used with preformed mantle F220351 above and gasket 20339 to convert light from soft. mantle to preformed mantle.



Soft. Tie-On Mantle (Fits Paulin® Gas Lights)

F220353

• Replaces broken soft. mantle, or can be used with ceramic burner head 20381 and gasket 20339 to convert light from preformed mantle to soft. mantle.



Ceramic Burner Head (For Soft. Mantle)

20381

Replaces broken burner head , or can be used with soft. mantle F220353 and gasket 20339 to convert light from preformed mantle to soft. mantle.



Burner Head Gasket

20339

Replacement gasket for both burner heads; should be replaced whenever burner head is removed.



Glass Globe (Fits Paulin® Gas Lights)

F220330

Replacement globe made of heat resistant glass.



Safety Control - (Kit includes M50671-03 Safety Control)

F263003

REDDY HEATER: R30, R35, R35A, R35B, R50, R50A, R50B, R55, R70, R70A, R70B, R70BT, R70CT, R100A, R100B, R110, R150, R150A, R150AT, R150B, R150BT, R150D, R155, R165, R350, R350A, R600, R600A, M30, M50A, M66D, M100D, M150S


MASTER (DESA): B50A, B50B, B50D, B50E, B50F, B50G, B66D, B70B, B70BT, B100B, B100D, B100G, B110, B150A, B150B, B150C, B150D, B150F, B150Fl., B150G, B150GT, B165, B350B, B350D, B600B, B600D

KOEHRING: K30, K50A, K150

KNIPCO: F30, F50A, F50E, F50F, F50G, F66D, F110D, F110F, F110G, F110H, F150F, F150G, F150H, F150S

REMINGTON: REM35, REM35A, REM50, REM50B, REM50W, REM50A, REM50AW, REM55, REM100, REM100A, REM110, REM150, REM150A, REM150B, REM165

DESA: C35, C35A, C35B, C50D, C50E, C50F, C100D, C100E, C100F, C150D, C150E, C150F



Rotor Kit

F263004

REDDY HEATER: R30, R35, R35A, R35B, R50, R50A, R50B, R55, R70, R70A, R70B, R70BT, R70CT, R100A, R100B, R110, R150, R150A, R150AT, R150B, R150BT, R150D, R155, R165, R350, R350A, R600, R600A, M30, M50A, M66D, M100D, M150S


MASTER (DESA): B50A, B50B, B50D, B50E, B50F, B50G, B66D, B70B, B70BT, B100B, B100D, B100G, B110, B150A, B150B, B150C, B150D, B150F, B150Fl., B150G, B150GT, B165, B350B, B350D, B600B, B600D

KOEHRING: K30, K50A, K150

KNIPCO: F30, F50A, F50E, F50F, F50G, F66D, F110D, F110F, F110G, F110H, F150F, F150G, F150H, F150S

REMINGTON: REM35, REM35A, REM50, REM50B, REM50W, REM50A, REM50AW, REM55, REM100, REM100A, REM110, REM150, REM150A, REM150B, REM165

DESA: C35, C35A, C35B, C50D, C50E, C50F, C100D, C100E, C100F, C150D, C150E, C150F



Nozzle Kit

F263006

REDDY HEATER: R35B, R35A

DESA: CC35B

REMINGTON: REM35A



Nozzle Kit

F263007

REDDY HEATER: R50, R50A, R50B

DESA: C50D, C50E, C50F

MASTER (DESA): B50D, B50E, B50F

KNIPCO: F50E, F50F, F50G

REMINGTON: REM50, REM50W, REM50A, REM50AW



Nozzle Kit

F263008

REDDY HEATER: R70, R70A, R70B, R70T, R70CT

MASTER (DESA): B70, B70B, B70T

Lb. WHITE: K70(T)

HANDY MASTER: HM70



Nozzle Kit

F263009

REDDY HEATER: R100, R100A, R100B, R110

DESA: C100D, C100E, C100F, (HA3009/PP209)

KOEHRING: K100A

MASTER (DESA): B100A, B100B, B100G, B110

KNIPCO: F110E, F110F, F110G, F110H

REMINGTON: REM100, REM100A, REM110



Spark Plug

F263012

REDDY HEATER: R70, R70A, R70B, R70BT, R70CT, R100, R100A, R100B, R110, R150, R150A, R150AT, R150B, R150BT, R150D, R150M, R155, R165, R350, R350A, R600, R600A, M66D, M100D, M150S, M350, M600
MASTER (DESA): B66D, B70B, B70BT, B100A, B100B, B100D, B100G, B110, B150A, B150B, B150C, B150D, B150F, B150Ft., B150G, B150GT, B150M, B165, B350A, B350B, B350D, B600, B600A, B600B, B600D
DESA: C100D, C100E, C100F, C150D, C150E, C150F
KOEHRING: K100A, K150, K350, K350A, K600
KNIPCO: F66D, F110E, F110F, F110G, F110H, F150F, F150G, F150H, F150S, F350
REMINGTON: REM100, REM100A, REM110, REM150, REM150A, REM150B, REM165



Replacement Filter Kit

F263014

REDDY HEATER: R30, R35, R35A, R35B, R50, R50A, R50B, R55, R55A, R70, R70A, R70B, R70BT, R70CT, M30, M50A, M66D
MASTER (DESA): B50A, B50B, B50D, B50E, B50F, B50G, B50H, B66D, B70B, B70BT
DESA: C35, C35A, C35B, C50D, C50E, C50F
KOEHRING: K30, K50A
KNIPCO: F30, F50A, F50E, F50G
REMINGTON: REM35, REM35A, REM50, REM50W, REM50A, REM50AW, REM50B, REM55, REM55A



Spark Plug

F263013

REDDY HEATER: R30, R35, R35A, R35B, R50, R50A, R50B, M30, M50A, RLP45, RLP80, RLP150
MASTER (DESA): B50A, B50B, B50D, B50E, B50F, BLP45, BLP80, BLP150
DESA: C35, C35A, C35B, C50D, C50E, C50F
KOEHRING: K30, K50A
KNIPCO: F30, F50A, F50E, F50F, F50G
REMINGTON: REM35, REM35A, REM50, REM50W, REM50A, REM50AW
VANGUARD: VLP45, VLP80, VLP150



Replacement Filter Kit (2005 models through 2008)

F263016

REDDY HEATER: R100, R100A, R100B, R110, R150B, R150BT, R150D, R155, R165
MASTER (DESA): B100A, B100B, B100G, B110, B150F, B150Ft., B150G, B150GT, B165
DESA: C100D, C100E, C100F, 150F
KOEHRING: K100A
KNIPCO: F110E, F110F, F110G, F110H, F150H
REMINGTON: REM100, REM100A, REM110, REM150A, REM150B, REM165



Replacement Filter Kit

263017

REDDY HEATER: R100, R100A, R100B, R110, R150B, R150BT, R150D, R155, R165
MASTER (DESA): B100A, B100B, B100G, B110, B150F, B150Ft., B150G, B150GT, B165
DESA: C100D, C100E, C100F, 150F
KOEHRING: K100A
KNIPCO: F110E, F110F, F110G, F110H, F150H
REMINGTON: REM100, REM100A, REM110, REM150A, REM150B, REM165



Nozzle Kit

F263011

REDDY HEATER: R150, R150A, R150B, R150BT, R150M, R150D, R155, M100D, M150S
HANDYMASTER: HM150
DESA: C150D, C150E, C150F
KOEHRING: K150
MASTER (DESA): B150A, B150B, B150C, B150D, B150F, B150Ft., B150M, B150G, B150GT
KNIPCO: F150F, F150G, F150S, F150H



Replacement Filter Kit

F263018

REDDY HEATER: R150, R150A, R150AT, M100D, M150S
MASTER (DESA): B100D, B150A, B150B, B150C, B150D
DESA: C150D, C150E
KOEHRING: K150
KNIPCO: F110D, F150F, F150G, F66D
REMINGTON: REM150



#F273949	AVALON (2 each of 27 accessories)
F276152 -	1/4" Male Pipe Thread x 9/16" Left Hand Male Thread
F276129 -	9/16" Left Hand Thread x P.O.L.
F273754 -	1/4" Male Pipe Thread x 1"-20 Female Throwaway Cylinder Thread
F276190 -	Propane or Natural Gas Connector
F276187 -	Propane or Natural Gas 3/8" Quick Connector
F276136 -	Propane Low Pressure Regulator
F276148 -	5' Propane Hose Assembly
F273702 -	12' Propane Hose Assembly
F276153 -	3/18" Male Pipe Thread X 9/16" Left Hand Male Thread
F273655 -	Excess Flow P.O.L. x 1/4" Male Pipe Thread
F273755 -	1/4" Male Pipe Thread x 1"-20 Male Throwaway Cylinder Thread
F273756 -	1/4" Male Pipe Thread x P.O.L. w/Handwheel
F276495 -	Propane Acme Nut
F273719 -	High Pressure Regulator With P.O.L.
F273716 -	22" Propane Replacement Barbecue Hose
F276124 -	5' Propane Hose Assembly
F276154 -	9/16" Left Hand Male Thread x 9/16" Left Hand Male Thread
F276139 -	1/4" Male Pipe Thread x P.O.L.
F276130 -	9/16" Left Hand Male Thread x 1"-20 Throwaway Cylinder Thread w/Shut-off
F276172 -	Propane Tank Refill Adapter
F273761 -	90° Low Pressure Regulator With Appliance End Fitting
F273759 -	90° Propane Low Pressure Regulator
F273767 -	Propane Low Pressure LP Regulator
F273701 -	5' Propane Hose Assembly
F273717 -	Propane "Steak Saver" Adapter
F273710 -	5' Propane Hose Assembly
F276171 -	Propane "Steak Saver" Adapter

#F273974	Sporting (2 each of 15 accessories)
F273757 -	9/16" Left Hand Thread x P.O.L. w/Handwheel
F273758 -	Propane Bulk Cylinder Adapter w/Handwheel
F271725 -	Propane Post Adapter Valve
F273751 -	Propane Adapter Tee
F273702 -	12' Propane Hose Assembly
F276130 -	9/16" Left Hand Male Thread x 1"-20 Throwaway Cylinder Thread w/Shut-off
F276171 -	Propane "Steak Saver" Adapter
F271715 -	Propane "Y" Male Adapter w/Handwheel
F276148 -	5' Propane Hose Assembly
F273711 -	12' Propane Hose Assembly
F276172 -	Propane Tank Refill Adapter
F273760 -	90° Elb.ow
F271735 -	Propane "Y" Female Adapter w/Handwheel
F273701 -	5' Propane Hose Assembly
F271731 -	30"/15" Propane Distribution Post/Tree

#F273961	Top 20 (2 each of 20 accessories)
F276139 -	1/4" Male Pipe Thread x P.O.L.
F276172 -	Propane Tank Refill Adapter
F276187 -	Propane or Natural Gas 3/8" Quick Connector
F273761 -	90° Low Pressure Regulator With Appliance End Fitting
F273716 -	22" Propane Replacement Barbecue Hose
F276124 -	5' Propane Hose Assembly
F273071 -	5' Propane Hose/Regulator Assembly
F273754 -	1/4" Male Pipe Thread x 1"-20 Female Throwaway Cylinder Thread
F273755 -	1/4" Male Pipe Thread x 1"-20 Male Throwaway Cylinder Thread
F276330 -	Propane Gas Coupling Adapter Kit
F273759 -	90° Propane Low Pressure Regulator
F273767 -	Propane Low Pressure LP Regulator
F273710 -	5' Propane Hose Assembly
F273702 -	12' Propane Hose Assembly
F273756 -	1/4" Male Pipe Thread x P.O.L. w/Handwheel
F276495 -	Propane Acme Nut
F276136 -	Propane Low Pressure Regulator
F273719 -	High Pressure Regulator With P.O.L.
F273701 -	5' Propane Hose/Regulator Assembly
F273717 -	5' Propane Appliance Extension Hose Assembly

#F273973	Other manufacturers kerosene parts (2 each of 12 items)
F263003 -	Safety Control
F263007 -	Nozzle Kit
F263011 -	Nozzle Kit
F263014 -	Filter Kit
F263004 -	Rotor Kit
F263008 -	Nozzle Kit
F263012 -	Spark Plug
F263017 -	Filter Kit
F263006 -	Nozzle Kit
F263009 -	Nozzle Kit
F263013 -	Spark Plug
F263018 -	Filter Kit

Call parts dept. for details	Mr. Heater Service Parts (2 each of 27 items)
F263016	04-08 Filter Kit
F221887	09-CUR Filter Kit
F221857	FAK Electrode
F221803	FAK Electrode
F226865	CAD Cell Kit
F226831	Rotor Kit
F226842	Pump Adj Kit
F227416	50K Nozzle
F221878	75K Nozzle
F221879	125K Nozzle
F221889	175K Nozzle
F221891	210K Nozzle
F228794	Spark PLug
F228795	Spark PLug
F228796	FALP H/L Switch
F228797	FALP H/L Switch
F228798	FALP H/L Switch
26654	T/Couple
26655	T/Couple
26656	T/Couple
28082	T/Couple
F273117	TT T/Couple
F273606	TT REG Bulk
F273607	TT REG 1Lb.
F237314	NEW MH/SR TT REG
F237425	MH TT T/Couple
F237349	SR TT T/COUPLE W/ T/S

#F273976	RV/Camping (2 each of 15 accessories)
F216665 -	90° Propane Fitting 1/4" Male Pipe Thread x 1/4" Female Pipe Thread
F273751 -	Propane Adapter Tee
F273763 -	Propane Two Stage Regulator
F271144-144 -	12' Propane Hose Assembly
F273655 -	Excess Flow P.O.L. x 1/4" Male Pipe Thread
F273752 -	Stay A While Tee
F273766 -	Propane Auto-Changeover Two Stage Regulator
F273702 -	12' Propane Hose Assembly
F276497 -	Propane Acme Nut
F273753 -	90° Stay Flow Adapter
F271138-20 -	20" Propane Hose Assembly
F273711 -	12' Propane Hose Assembly
F276171 -	Propane "Steak Saver" Adapter
F273767 -	Propane Low Pressure LP Regulator
F271158-18 -	18" Propane Hose Assembly

#F273976	RV/Camping (2 each of 15 accessories)
F216665 -	90° Propane Fitting 1/4" Male Pipe Thread x 1/4" Female Pipe Thread
F273751 -	Propane Adapter Tee
F273763 -	Propane Two Stage Regulator
F271144-144 -	12' Propane Hose Assembly
F273655 -	Excess Flow P.O.L. x 1/4" Male Pipe Thread
F273752 -	Stay A While Tee
F273766 -	Propane Auto-Changeover Two Stage Regulator
F273702 -	12' Propane Hose Assembly
F276497 -	Propane Acme Nut
F273753 -	90° Stay Flow Adapter
F271138-20 -	20" Propane Hose Assembly
F273711 -	12' Propane Hose Assembly
F276171 -	Propane "Steak Saver" Adapter
F273767 -	Propane Low Pressure LP Regulator
F271158-18 -	18" Propane Hose Assembly

#F273963	Regulator (2 each of 8 regulators)
F276136 -	Propane Low Pressure Regulator
F273719 -	High Pressure Regulator With P.O.L.
F273763 -	Propane Two Stage Regulator
F273761 -	90° Low Pressure Regulator With Appliance End Fitting
F273769 -	Portable Propane Table Top Regulator
F273766 -	Propane Auto-Changeover Two Stage Regulator
F273759 -	90° Propane Low Pressure Regulator
F273767 -	Propane Low Pressure LP Regulator





Mr. Heater® Accessories Index

20338	Ceramic Burner Head	40
20339	Burner Head Gasket	40
20381	Ceramic Burner Head	40
F216665	90° Propane Fitting	29
F220330	Glass Globe	40
F220351	Preformed Mantle	40
F220353	Soft. Tie-On Mantle	40
F220370	Chandelier Kit	40
F221803	Electrode Kit (2005 & prior models)	37
F221857	Electrode Kit (2009-current models)	37
F221878	Nozzle Kit (2003-current models)	38
F221879	Nozzle Kit (2003-current models)	38
F221887	Replacement Filter Kit (2009-current models)	37
F221889	Nozzle Kit (2003-current models)	38
F221891	Nozzle Kit (2003-current models)	38
F226831	Rotor Kit (2003-current models)	37
F226865	Flame Sensor Kit	37
F227416	Nozzle Kit (2003-current models)	38
F228794	Spark Plug	38
F228795	Spark Plug	38
F228796	High Limit Switch	38
F228797	High Limit Switch	38
F228798	High Limit Switch	38
F232078	9BX Portable Buddy Carry Bag	8
F232098	9BX Portable Buddy Warming Tray	9
F232138	Screen assembly	36
F237314	Regulator for Tank Top Heaters	36
F237349	Thermocouple assembly with tip over switch	36
F237416	Safety Shut-off /Tank Top Heaters	36
F237425	Thermocouple assembly	36
F261210	Thermostat	33
F263003	Safety Control	41
F263004	Rotor Kit	41
F263006	Nozzle Kit	41
F263007	Nozzle Kit	41
F263008	Nozzle Kit	41
F263009	Nozzle Kit	41
F263011	Nozzle Kit	42
F263012	Spark Plug	42
F263013	Spark Plug	42
F263014	Replacement Filter Kit	42
F263015	Replacement Filter Kit (2003-2004 models)	37

F263016	Replacement Filter Kit (2005-2008 models)	37, 42
F263017	Replacement Filter Kit	42
F263018	Replacement Filter Kit	42
F266842	Pump Adjustment Kit (2003-current models)	37
F270398	Vent Free Pilot Assembly (NG)	39
F270399	Vent Free Pilot Assembly (LP)	39
F271138-20	20" Propane Hose Assembly	26
F271144-144	12' Propane Hose Assembly	26
F271144-60	5' Propane Hose Assembly	26
F271149-36	3' Propane Hose Assembly	26
F271149-72	6' Propane Hose Assembly	26
F271158-12	12" Propane Acme Flexible Pigtail Hose Assembly	26
F271158-15	15" Propane Acme Flexible Pigtail Hose Assembly	26
F271158-18	18" Propane Acme Flexible Pigtail Hose Assembly	26
F271161	22" Repl. Propane BBQ Hose & Regulator Assembly w/ Appliance End Fitting/Acme Nut	26
F271163-30	30" Propane Hose Assembly	26
F271163-60	60" Propane Hose Assembly	26
F271239	Universal Gas Appliance Hook Up Kit	35
F271242	1/2" Male Flare x 1/2" Male Pipe Thread	29
F271245	1/2" Male Flare x 1/2" Female Pipe Thread	29
F271470	15' Propane Appliance Extension Hose Assembly (3/8" x 3/8")	26
F271474	15' Propane Appliance Extension Hose Assembly (1/4" x 1/4")	26
F271715	Propane "Y" Male Adapter w/ Handwheel	31
F271725	Propane Post Adapter Valve	31
F271735	Propane "Y" Female Adapter w/ Handwheel	31
F271741	30"/15" Propane Distribution Post/Tree	31
F271802	12" Big/Tough Buddy RV Hose	27
F271803	12" Big/Tough Buddy Hose with Regulator	27
F273071	5' Propane Hose/Regulator Assembly	27
F273072	12' Propane Hose/Regulator Assembly	27
F273076	5' Propane Hose/Regulator Assembly	27
F273077	12' Propane Hose/Regulator Assembly	27
F273116	Safety Shut-off Valve w/ Orifice	36
F273117	12.5" Thermocouple Lead	36
F273164	Grid Screen Kit	36
F273169	TankFoot Tank Stabilizer - 1 pack	33
F273170	TankFoot Tank Stabilizer - 6 pack	33
F273171	TankFoot Tank Stabilizer - 30 pack	33
F273401	Portable Buddy Pilot Assembly	39
F273606	Tank Top Regulator, Hi-Med-Lo & Soft Nose P.O.L.	36
F273607	Tank Top Regulator	36
F273655	Excess Flow Soft Nose P.O.L. x 1/4" Male Pipe Thread	29

F273694	Mr. Heater Kerosene Heater Parts Plan-O-Gram	43
F273699	Fuel Filter	33
F273701	5' Propane Hose/Regulator Assembly	27
F273702	12' Propane Hose/Regulator Assembly	27
F273703-144	12' Propane Hose Assembly	27
F273703-60	5' Propane Hose Assembly	27
F273704	10' Buddy Series Hose Assembly	27
F273707	5' Propane Hose Assembly	27
F273707-108	9' Propane Hose Assembly	27
F273710	5' Propane Hose Assembly	28
F273711	12' Propane Hose Assembly	28
F273714	Stay Flow	35
F273716	22" Propane Replacement Barbecue Hose	28
F273717	5' Propane Appliance Extension Hose Assembly	28
F273719	High Pressure Regulator w/ P.O.L.	34
F273720	12' Natural Gas Patio Hose Assembly	28
F273726	3' Propane Hose Assembly	28
F273729	1/4" Male Pipe Thread x 1/4" Inverted Female Flare	29
F273733	Stay A While	35
F273734	Stay A While Deluxe	35
F273735	Stay Flow Plus	35
F273737	2 Tank Hook Up Kit	35
F273751	Propane Adapter Tee	30
F273752	Stay A While Tee	30
F273753	90° Stay Flow Adapter	30
F273754	1/4" Male Pipe Thread x 1"- 20 Female Throwaway Cylinder Thread	29
F273755	1/4" Male Pipe Thread x 1"- 20 Male Throwaway Cylinder Thread	29
F273756	1/4" Male Pipe Thread x Restricted Flow Soft Nose P.O.L. w/ Handwheel	29
F273757	9/16" Left Hand Thread x Restricted Flow Soft Nose P.O.L. w/ Handwheel	29
F273758	Propane Bulk Cylinder Adapter w/ Handwheel	30
F273759	90° Propane Low Pressure Regulator	34
F273760	90° Elbow	30
F273761	90° Low Pressure Regulator w/ Appliance End Fitting/Acme Nut	34
F273762	1/4" Male Pipe Thread x Full Flow Soft Nose P.O.L. w/ Handwheel	29
F273763	Propane Two Stage Regulator	34
F273766	Propane Auto-Changeover Two Stage Regulator	34
F273767	Propane Low Pressure LP Regulator	34
F273769	Portable Propane Table Top Regulator	34
F273783	Handwheel	33
F273786	O-Rings	33
F273791	1/4" Male Pipe Thread x Female P.O.L. w/ Acme Thread	29
F273863	Propane Two Stage Regulator w/ P.O.L.	34

F273949	Avalon Plan-O-Gram	25,43
F273961	Top 20 Plan-O-Gram	25,43
F273963	Regulator Plan-O-Gram	43
F273973	Other Manufacturers Kerosene Parts Plan-O-Gram	43
F273974	Sporting Plan-O-Gram	43
F273976	RV/Camping Plan-O-Gram	43
F274889	18B Big Buddy Carry Bag	8
F276124	5' Propane Hose Assembly	28
F276127	6v/800mA Power Adapter	33
F276129	9/16" Left Hand Thread x Restricted Flow Soft Nose P.O.L.	29
F276130	9/16" Left Hand Male Thread x 1"- 20 Throwaway Cylinder Thread w/ Shut-off	30
F276132	Propane Bulk Cylinder Adapter w/o Handwheel	31
F276133	Propane Bulk Cylinder Adapter w/ Appliance End Fitting/Acme Nut	31
F276136	Propane Low Pressure Regulator	34
F276139	1/4" Male Pipe Thread x Restricted Flow Soft Nose P.O.L.	30
F276140	Propane Male Throwaway Cylinder Adapter	30
F276148	5' Propane Hose Assembly	28
F276152	1/4" Male Pipe Thread x 9/16" Left Hand Male Thread	30
F276153	3/8" Male Pipe Thread x 9/16" Left Hand Male Thread	30
F276154	9/16" Left Hand Male Thread x 9/16" Left Hand Male Thread	30
F276171	Propane "Steak Saver" Adapter	31
F276172	Propane Tank Refill Adapter	31
F276181	Propane/Natural Gas Connector Kit w/ Shut-off Valve & Full Flow Plug	32
F276186	Propane/Natural Gas 1/4" Quick Connector & Excess Flow Male Plug	32
F276187	Propane/Natural Gas 3/8" Quick Connector & Full Flow Male Plug	32
F276190	Propane/Natural Gas Connector & Full Flow Male Plug	32
F276262	3/8" Male Pipe Thread x 3/8" Male Flare	30
F276281	Propane/Natural Gas Full Flow Male Plug	32
F276328	Propane/Natural Gas Excess Flow Male Plug	32
F276329	Propane Cylinder Fill Plug	32
F276330	Propane Gas Coupling Adapter Kit	32
F276334	Propane Gas Grill "Quick Connect" Adapter	32
F276336	Propane Gas Gauge/Leak Detector	31
F276372	Propane Tank Cap & Strap	33
F276400	Propane Brass Caps	31
F276495	Propane Grill Acme Nut (Black)	31
F276497	Propane Grill Acme Nut (Green)	31
F278527	Big Buddy Pilot Assembly	39

General Buying Information

Prices and terms are subject to change without notice. Orders will be billed at prices and terms in effect on the date of shipment.

Terms: Net 30

All orders are accepted and the above terms extended with the approval of the Mr. Heater Credit Department.

Freight Terms:

Shipments are F.O.B. Factory (Cleveland, Ohio; Brookpark, Ohio; Portland, Oregon; Depending on Shipment of Origin.)

All orders for Mr. Heater products will be shipped to one destination within the 48 continental United States according to one of the following freight policies, at Mr. Heater's discretion.

Package Quantities:

Orders must be in package quantities. Mr. Heater Inc. also reserves the right to alter quantities ordered, if necessary, to conform to package quantities.

Merchandise Return Authorization:

Merchandise may not be returned without the prior approval of Mr. Heater Inc. Please fax your return request to the Customer Service Department at 1-800-321-0552. Upon receipt, the request will be reviewed and if appropriate a return material authorization number (RMA#) will be issued. Merchandise returned without prior approval will be subject to refusal and returned freight collect; or if accepted, a handling charge of 25% of purchase price will be deducted from the credit memo.

Authorized merchandise returned for credit, repair or replacement must be shipped with TRANSPORTATION CHARGES PREPAID. Full credit will be issued for original invoice subject to a handling and repacking charge of 25%. Merchandise returned transportation collect will be charged back by invoice or deducted from credit.

Credit allowances for obsolete, shelf-worn or damaged merchandise will be solely at the discretion of Mr. Heater Inc. This merchandise is subject to an additional 10% handling charge and costs of new packaging.

Indemnification:

Notwithstanding any provisions for indemnification contained in any purchase orders or other documents generated or used by the Customer, Mr. Heater Inc. assumes no responsibility to indemnify or otherwise defend or protect Customer or any other purchaser of its products for liability resulting from Customer's actual or alleged independent conduct, or the actual or alleged independent conduct of Customer's agents or employees including but not limited to, resale of products purchased from Mr. Heater: (1) with any product alterations not authorized by Mr. Heater (2) without all instructions and warnings provided by Mr. Heater (3) with oral or written instructions inconsistent with those provided by Mr. Heater (4) which have been used or damaged by Customer or returned by Customer after retail sale, or (5) in violation of any state or local statute or ordinance.

Image Library

High res and low res product images are available for download from our online image gallery. Call 800.251.0001 for login information.



U.S. icon located on the lower right of each product image indicates domestic availability from our Cleveland OH distribution center.



Globe icon represents availability on a direct ship basis from China.

**Product specifications and appearance are subject to change without notice.
Product images may not be precise.**

WORLD CLASS SERVICE

Mr. Heater provides world class service through its network of over **490** factory authorized, independent service centers across the US and Canada. These service centers stock Mr. Heater parts and are trained to perform diagnostics and repair. Visit www.mrheater.com to find the nearest service center to you.



PRODUCT SPECIFICATIONS AND PRODUCT MANUALS
AVAILABLE FOR DOWNLOAD ONLINE WWW.MRHEATER.COM

NORTH AMERICA'S MOST POPULAR
BRAND OF PORTABLE HEATERS AND ACCESSORIES

INNOVATIVE PRODUCTS

The World's First Cordless Forced Air Heaters



See page 12-15 for complete details

THE ORIGINAL 
Mr. Heater[®]

Mr Heater Inc.
P.O.Box 6660 - Cleveland OH 44101-1660
4560 West 160th Street - Cleveland OH 44135
ph: (216).916-3000 - 800.251.0001
fx: (216).916.3012 - 800.321.0552